



## HiCrome Klebsiella Selective HiVeg Agar Base

MV1573

HiCrome Klebsiella Selective HiVeg Agar Base is used for the selective isolation and easy detection of *Klebsiella* species from water and other sources. This medium can also be used in membrane filtration procedure.

### Composition\*\*

Ingredients	Gms / Litre
HiVeg special peptone	12.000
Yeast extract	7.000
Sodium chloride	5.000
Synthetic detergent no. I	1.500
Chromogenic mixture	0.300
Agar	15.000
Final pH ( at 25°C)	7.1±0.2

\*\*Formula adjusted, standardized to suit performance parameters

### Directions

Suspend 20.4 grams in 500 ml distilled water. Heat to boiling to dissolve the medium completely. DO NOT AUTOCLAVE. Cool to 50°C and aseptically add rehydrated contents of one vial of Klebsiella Selective Supplement (FD225). Mix well and pour into sterile Petri plates.

### Principle And Interpretation

HiCrome Klebsiella Selective HiVeg Agar Base is prepared by replacing animal based peptones with vegetable peptones. It is a slight modification of HiCrome Klebsiella Selective Agar Base which is recommended for isolation and enumeration of *Klebsiella* species based on chromogenic differentiation. *Klebsiella pneumoniae* strains are widely distributed in the environment and contribute to biochemical and geochemical process (1). *K.pneumoniae* causes severe often fatal pneumonia. It also proves to be the source of lung infections that generally occur in patients with debilitating conditions such as alcoholism, diabetes mellitus, and chronic obstructive pulmonary disease (2). The chromogenic substrate incorporated in the media is cleaved specifically by *Klebsiella* species. *K.pneumoniae*, the causative agent of pneumonia, produces a purple-magenta coloured colony thereby aiding in the easy detection of the organisms. Most of the frequently encountered gram-negative faecal contaminants are inhibited on this media using a selective supplement.

HiVeg special peptone and yeast extract provide the essential nutrients required for the growth of the organism. Sodium chloride maintains the osmotic equilibrium of the medium. Synthetic detergent no. I and sodium lauryl sulphate (SLS) inhibit most of the accompanying flora. Addition of the selective supplement further increases the selectivity of the medium.

### Quality Control

#### Appearance

Cream to yellow homogeneous free flowing powder

#### Gelling

Firm, comparable with 1.5% Agar gel

#### Colour and Clarity

Light amber coloured, clear to slightly opalescent gel forms in Petri plates

#### Reaction

Reaction of 4.08% w/v aqueous solution at 25°C. pH : 7.1±0.2

#### pH

6.90-7.30

#### Cultural Response

Cultural characteristics observed with added Klebsiella Selective Supplement (FD225) after an incubation at 35-37°C for 18-24 hours.

**Cultural Response**

<b>Organism</b>	<b>Inoculum (CFU)</b>	<b>Growth</b>	<b>Recovery</b>	<b>Colour of Colony</b>
<b>Cultural Response</b>				
<i>Enterobacter aerogenes</i> ATCC 13048	$\geq 10^3$	inhibited	0%	
<i>Escherichia coli</i> ATCC 25922	$\geq 10^3$	inhibited	0%	
<i>Klebsiella pneumoniae</i> ATCC 13883	50-100	luxuriant	$\geq 50\%$	purple-magenta (mucoid)
<i>Salmonella Typhi</i> ATCC 6539	$\geq 10^3$	inhibited	0%	
<i>Serratia marcescens</i> ATCC 8100	$\geq 10^3$	inhibited	0%	

**Storage and Shelf Life**

Store dehydrated powder and prepared medium at 2-8°C in tightly closed container. Use before expiry period on the label.

**Reference**

1. Krieg, N. R., and J. G. Holt, (Eds.), 1984, Bergeys Manual of Systematic Bacteriology, Vol. 1, p. 408 - 516. The Williams and Wilkins Co., Baltimore, MD.
2. Wyngaarden J. B., Smith L. H., (Eds.), Cecil Text book of Medicine, 16th Ed, pp 1430 -1432, Philadelphia, W. B. Saunders, 1982.

Revision : 1 / 2011

**Disclaimer :**

User must ensure suitability of the product(s) in their application prior to use. Products conform solely to the information contained in this and other related HiMedia™ publications. The information contained in this publication is based on our research and development work and is to the best of our knowledge true and accurate. HiMedia™ Laboratories Pvt Ltd reserves the right to make changes to specifications and information related to the products at any time. Products are not intended for human or animal diagnostic or therapeutic use but for laboratory, research or further manufacturing use only, unless otherwise specified. Statements contained herein should not be considered as a warranty of any kind, expressed or implied, and no liability is accepted for infringement of any patents.